

SAFETY DATA SHEET

MX-40 MULTI PURPOSE CARE SPRAY

Product Name: MX-40 Multi-Purpose Care Spray
GBF Form No: M-0001

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

1. Description of the substance/mixture and of the company/distributor;

1.1. The identity of the substance/mixture;

Product form : Mixture
Trade Name : MX-40 Multi-Purpose Care Spray
EC Number : Unknown
CAS Number : Unknown

1.2. Identified uses of the substance or mixture and uses advised against;

It is used as an excellent water repellent in the automotive and marine industries, in electrical contacts, and in engines where water and moisture are undesirable. It is used for cleaning, lubrication, protection, dissolving residues and adhesives, loosening extremely stubborn stains, and freeing parts stuck due to rust.

1.3. Information about the supplier of the Safety Data Sheet;

Manufacturer : MAXRAY Kimya San. ve Tic. Ltd. Şti.
Address : Mimar Sinan Mah. Üsküdar Cad. YEDPA No:1 Cad. Inner door No:2
ATAŞEHİR/İSTANBUL
Phone : +90 850 307 04 47
Email : info@maxray.com.tr
Contact Person : Nurullah Düzgün
Product Code : MX-77036-77029
Product Type : Industrial

1.4. Emergency phone number;

Emergency phone number : 114 (Poison Control Center / For local calls only.)

2. Hazard identification;

2.1. Classification of substances and mixtures;

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

Aspiration Toxicity, Hazard Category 1 H304
Flammable Aerosol, Hazard Category 1 H222
Pressured Container H229

The full text of the H statements; see Section 16.

2.2. Label elements;

Classification of the mixture in accordance with Regulation (EC) No 1272/2008



Hazard Label (SEA) : ;
GHS02 GHS08

Warning word (SEA) : Danger

Hazard Statements (SEA) :

H222 - Highly flammable aerosol.

H229 - Pressure container: May burst if heated.

H304 - Fatal if inhaled or swallowed.

EUH066 - Repeated exposure may cause dryness and cracking of the skin.

SAFETY DATA SHEET

MX-40 MULTI PURPOSE CARE SPRAY

Product Name: MX-40 Multi-Purpose Care Spray
GBF Form No: M-0001

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

Precautionary Statements (SEA) :

P102: Keep out of reach of children.

P261 - Avoid inhaling dust/fumes/gas/mist/vapor/spray.

P210 - Keep away from heat/sparks/flames/hot surfaces. - No smoking.

P211 - Do not spray towards flames or other sources of ignition.

P251 - Pressure vessel: Do not puncture or burn, even after use.

P281 - Use personal protective equipment.

If exposed to or interacting with P308+P313: Seek medical advice/care.

P301+P310 - IF SWALLOWED: Call the National Poison Control Center on 114 or a doctor/physician.

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50°C/122F.

P501: Dispose of contents/container in accordance with local/regional/national/international regulations (as specified). Indicate whether this applies to the contents, container, or both, as instructed by the manufacturer/supplier or competent authority.

2.3. Other damages;

It does not contain PBT or vPvB substances.

3. Information about its composition/ingredients;

3.1. Items;

Not applicable.

3.2. Mixtures

Name of the Substance	CAS Number	EC Number	%	Classification in accordance with the "Regulation on the Classification, Labelling and Packaging of Substances and Mixtures" (SEA), published in the Official Gazette dated December 11, 2013, and numbered 28848 (mükerrer).	Pictograms
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	-	918-481-9	15-35	Asp.Tok.1, H304 EUH066	GHS08 Dangerous
Lubricating oils	74869-22-0	278-012-2	5-15	Unclassified.	-
Benzene, mono-C10-13-alkyl derivatives, distn. residues	84961-70-6	284-660-7	5-20	Asp.Tok.1, H304	GHS08 Dangerous
Petroleum gases, liquefied (<0.1% 1,3-butadiene)	68476-85-7	270-704-2	25-40	Flame. Gas 1, H220 Dissolved Gas, H280	GHS02 GHS04 Dangerous

The full text of the H statements: see Section 16

4. First aid measures;



SAFETY DATA SHEET

MX-40 MULTI PURPOSE CARE SPRAY

Product Name: MX-40 Multi-Purpose Care Spray
GBF Form No: M-0001

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

4.1. Explanation of first aid measures;

General Information	Seek medical attention if any discomfort persists. Immediately remove contaminated clothing or footwear.
Inhalation	Remove the patient from the danger zone and seek medical assistance. If the patient is unconscious, turn them to their side. Keep the patient warm and allow them to rest. Administer oxygen if breathing is difficult. Perform cardiopulmonary resuscitation (CPR) if cardiac arrest occurs. If H ₂ S or CO inhalation occurs, rescuers should wear breathing apparatus, a harness, and a safety rope, and follow emergency procedures. The victim should be immediately moved to fresh air. If breathing stops, perform artificial respiration. Obtain medical assistance.
Skin contact	Remove all contaminated clothing and footwear. Wash them thoroughly before reuse. Wash the area thoroughly with plenty of soap and water.
Eye contact	Immediately rinse with plenty of water for 15 minutes, keeping your eyelids raised. Remove contact lenses if possible. Seek medical attention if irritation occurs.
If swallowed	Do not induce vomiting. Consult your doctor immediately. Lips and mouth may become numb. Do not give anything by mouth to an unconscious patient. Loosen clothing.

4.2. Significant symptoms and effects, both immediate and delayed.

Inhalation	: Difficulty breathing
Skin contact	: Unknown
Eye contact	: Unknown
If swallowed	: Unknown
Aspiration	: Unknown

4.3. The first signs that require medical intervention and specialized treatment.

Treat symptomatically.

5. Firefighting measures;

5.1. Fire extinguishers

Suitable for	: Carbon dioxide, dry chemical, water mist, fire extinguishing foam. For large fires: Water spray, water mist, or foam.
Not suitable	: Do not use a water jet. Using water with foam can damage the foam.

5.2. Specific hazards arising from the substance or mixture.

Specific exposure hazards	: Unknown
Hazardous thermal decomposition products	Combustion can produce carbon monoxide, carbon dioxide, smoke, hydrocarbons, aldehydes, and soot.

5.3. Recommendations for firefighting teams

Special for firefighters.	Use protective clothing, including a full-face mask and respiratory support. Cool the outside of containers with water. The product may produce vapors that can explode when mixed with air. It can cause sudden flames. Pouring it down the drain can also cause a fire or explosion.
---------------------------	--

SAFETY DATA SHEET

MX-40 MULTI PURPOSE CARE SPRAY

Product Name: MX-40 Multi-Purpose Care Spray
GBF Form No: M-0001

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

6. Measures to prevent accidental release;

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Avoid sources of ignition. Do not smoke. Wear hydrocarbon protective gloves, goggles, and clothing. Avoid inhaling vapors. Remove unnecessary people. Prevent and isolate access to the hazardous area. Review evacuation needs. Stop the flow if there is no risk. Do not touch spills. Absorb spills with absorbents. Extra precautions should be taken in case of H₂S or CO formation. Special protective clothing should be worn. Personnel should be trained.

6.2. Environmental measures

Environmental precautions : Prevent spills and spread. Prevent spread into sewers, drainpipes, basements, and enclosed spaces. Vapor suppressants can reduce vapor production. Report spills to authorities if they contaminate streams or sewers.

Other information : Unknown.

6.3. Methods and materials for preservation and cleaning.

Cleaning methods : Absorb small spills with a cloth or cotton ball. Take them to waste collection areas. Ensure adequate ventilation. Avoid sources of ignition and do not smoke. For large spills, use a ditch or collection basin and notify the authorities.

6.4. References to other sections

References to other sections : See also section 8.

7. Handling and storage;

7.1. Precautions for safe handling

Precautions for safe handling : Handle in well-ventilated areas. Prevent vapors from being released. Do not inhale vapors. Avoid contact with skin and mucous membranes. Handle away from sources of flame. Prevent static electricity buildup. Do not smoke. Do not use compressed oxygen or air during product transfer and pouring. Use in cool, gas-free, and well-ventilated areas. Use a grounding system. Do not spray at pressures higher than 3 bar.

7.2. Conditions for secure storage, including disputes.

Storage conditions : Store away from flames and heat sources. Keep containers closed when not in use. Store in a dry, cool, well-ventilated place away from direct sunlight. Keep away from oxidizers and strong mineral acids. Store in original packaging.

Recommended packaging : Store in the original packaging.

7.3. Specific end uses

Usage : Use only as directed.

8. Exposure control/personal protection;

8.1. Control parameters

Petroleum gases, liquefied (<0.1% 1,3-butadiene)

SAFETY DATA SHEET

MX-40 MULTI PURPOSE CARE SPRAY

Product Name: MX-40 Multi-Purpose Care Spray
 GBF Form No: M-0001

Preparation Date: 22.12.2025
 Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

Observed Effects	Exposure	DNEL	Type of Toxicity
Worker damage limits			
Inhalation - Systemic Effects	Prolonged exposure	2.21 mg/ m ³	Carcinogenicity
Dermal-Systemic Effects	Prolonged exposure	23.4 mg/kg body weight/day	Carcinogenicity
Damage limits for the general population.			
Inhalation - Systemic Effects	Prolonged exposure	0.066 mg/ m ³	Carcinogenicity

Benzene, mono-C10-13-alkyl derivatives, distn. residues

Observed Effects	Exposure	DNEL	Type of Toxicity
Worker damage limits			
Inhalation - Systemic Effects	Prolonged exposure	3.2 mg/ m ³ NOAEC: 79 mg/ m ³	Repeated Dose Toxicity
	Acute/short-term exposure	No harmful effects have been observed.	
Inhalation - Local Effects	Prolonged exposure	No harmful effects have been observed.	
	Acute/short-term exposure	No harmful effects have been observed.	
Dermal-Systemic Effects	Prolonged exposure	4.3 mg/kg body weight/day NOAEL: 432 mg/kg body weight/day	Repeated dose toxicity
	Acute/short-term exposure	No harmful effects have been observed.	
Dermal-Local Effects	Prolonged exposure	No harmful effects have been observed.	
	Acute/short-term exposure	No harmful effects have been observed.	
Eyes	No harmful effects have been observed.		

Damage limits for the general population.

Inhalation - Systemic Effects	Prolonged exposure	1.6 mg/ m ³ NOAEC: 79 mg/ m ³	Repeated Dose Toxicity
	Acute/short-term exposure	No harmful effects have been observed.	
Inhalation - Local Effects	Prolonged exposure	No harmful effects have been observed.	
	Acute/short-term exposure	No harmful effects have been observed.	
Dermal-Systemic Effects	Prolonged exposure	2.2 mg/kg body weight/day NOAEL: 432 mg/kg body weight/day	Repeated dose toxicity
	Acute/short-term exposure	No harmful effects have been observed.	
Dermal-Local Effects	Prolonged exposure	No harmful effects have been observed.	
	Acute/short-term exposure	No harmful effects have been observed.	

SAFETY DATA SHEET

MX-40 MULTI PURPOSE CARE SPRAY

Product Name: MX-40 Multi-Purpose Care Spray
 GBF Form No: M-0001

Preparation Date: 22.12.2025
 Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

	exposure		
Oral-Systemic Effects	Prolonged exposure	0.63 mg/kg body weight/day NOAEL: 45 mg/kg/day	Repeated dose toxicity
	Acute/short-term exposure	No harmful effects have been observed.	
Eyes	No harmful effects have been observed.		

Lubricating oil

Observed Effects	Exposure	DNEL	Type of Toxicity
Worker damage limits			
Inhalation - Systemic Effects	Prolonged exposure	2.7 mg/ m ³	
Inhalation - Local Effects	Prolonged exposure	5.6 mg/ m ³	
Dermal-Systemic Effects	Prolonged exposure	1 mg/kg body weight/day	Neurotoxicity
Damage limits for the general population.			
Oral-Systemic Effects	Prolonged exposure	0.74 mg/kg body weight/day	Acute toxicity

8.2. Exposure controls

- Engineering measures : Ensure adequate general and local ventilation. The ventilation system should be regularly maintained and inspected. Observe the exposure limits of the product or content.
- Hygiene precautions : General hygiene rules regarding the use of chemical substances should be applied. Wash your hands during breaks and after work. Keep away from food, drinks, and meals. Remove contaminated clothing and protective equipment before entering eating areas.
- Personal protective equipment : The effectiveness of personal protective equipment depends, among other factors, on temperature and ventilation. Professional advice should be sought depending on the specific situation.
- Body protection : Wear protective clothing, work overalls or suit and similar footwear conforming to EN 365/367, specifically standard 345. Suitable material: nitrile. Insulation time: impermeable.
- Respiratory protection : In well-ventilated areas, no special equipment is required. In poorly ventilated areas, use artificial respiration.
- Hand protection : Wear gloves conforming to EN 374 standard . Suitable material: nitrile. ± 0.5 mm penetration time: impermeable. Replace gloves as needed.
- Eye protection : Use tightly fitting, chemical-protective goggles or a face shield. If there is a risk of inhalation, use a full-face gas mask.

9. Physical and chemical properties;

9.1. Basic physical and chemical properties

Physical Appearance : Aerosol
 Color : Brown

SAFETY DATA SHEET

MX-40 MULTI PURPOSE CARE SPRAY

Product Name: MX-40 Multi-Purpose Care Spray
GBF Form No: M-0001

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

Fragrance : Essence
Odor threshold : Unknown
Flash Point (°C) (min) : Unknown
Boiling Point (°C) (min) : Unknown
Explosion Hazard : Yes
Density (g/cm³) : 0.75-0.90
pH : Not specified
Viscosity (mPa.s) : 1-7
Flash Point : Unknown
Vapor density : Unknown
Solubility Feature : Not Soluble

9.2. Other information

No further information available.

10. Stability and reactivity;

10.1. Reaction

Reactivity : There are no known harmful reactive effects.

10.2. Chemical stability

Stability : It is stable under normal conditions.

10.3. Possibility of harmful reactions

Reactivity : The likelihood of a reaction occurring is high in the presence of oxidizing agents.

10.4. Situations to avoid

Conditions to avoid : Avoid sources of flame such as heat and sparks. Containers may explode or burn intensely due to excessive pressure when heated.

10.5. Substances to avoid

Materials to avoid: Oxidizing agents.

10.6. Harmful decomposition products,

Hazardous decomposition products : Do not decompose if stored and used under appropriate conditions. Products that decompose thermally or are compressed may include: harmful gases and vapors.

11. Toxicological information;

11.1. Information about toxic effects

Article	Toxicity Type	Toxicity Zone	Test Animal	Conclusion
Petroleum gases, liquefied (<0.1% 1,3-butadiene)	Acute	Breathing	Rat/Female-male	LC 50: 800,000 ppm EC 50: 280000 ppm
		Repeat Dose	Inhalation/Systemic	Rat/Female-Male
	Genetic			None
	Reproductive		Rat/Female-Male	NOAEC: 16000 ppm
	Teratogenicity	Breathing	Rat	NOAEC: 16000 ppm

SAFETY DATA SHEET

MX-40 MULTI PURPOSE CARE SPRAY

Product Name: MX-40 Multi-Purpose Care Spray
 GBF Form No: M-0001

Preparation Date: 22.12.2025
 Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

	Carcinogenicity		Rat/Female-Male	NOAEC: 10000 ppm An effect was observed at 17200 mg/m ³
Benzene, mono-C10-13-alkyl derivatives, distn. residues	Acute	Oral	Rat/Female-Male	LD 50 > 2000 mg/kg
		Dermal	Rat/Female-Male	LD 50 > 4300 mg/kg (Female) LD 50 > 3600 mg/kg (male)
	Irritation	Dermal	Rabbit	None
		Eyelash	Rabbit	None
	Sensibility	Dermal	Guinea Pig/Female	None
	Repeat Dose	Oral	Rat/Male-Female	NOAEL; 500 mg/kg/day
	Genetic		Bacterium	None
	Reproductive	Oral	Rat/Female-Male	NOAEL: 1000 mg/kg body weight/day None
Developmental	Teratogenicity	Rat	NOAEL: 1000 mg/kg body weight/day None	
Lubricating oil	Acute	Oral	-	LD50: 5000 mg/kg
		Breathing	-	LC 50: 5000 mg/m ³
		Dermal	-	LD50: 2000 mg/kg
	Irritation	Dermal	-	None
		Eyelash	-	None
	Sensibility	Dermal	-	None
	Repeat Dose	Oral	Rat	LOAEL; 125 mg/kg/day
		Inhalation/Systemic	Rat	NOAEC; 980 mg/m ³
		Dermal	Mouse	LOAEL; 100 mg/kg/day
	Genetic			None
Carcinogenicity	Dermal	Mouse	Chronic	
Reproductive/Developmental toxicity	Oral	Rat	NOAEL; 1000 mg/kg/day	
	Dermal	Rat	NOAEL; 1000 mg/kg/day	
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics	Acute	Oral	Rat	LD 50 > 5000 mg/kg
		Breathing	-	LC 50 > 5000 mg/m ³
		Dermal	Rabbit	LD 50 > 5000 mg/kg
	Irritation	Dermal	Rabbit	There is
	Sensibility	Dermal	-	None
	Repeat Dose	Oral	Rat	NOAEL >5000 mg/kg
		Breathing	Rat	NOAEL > 10400 mg/m ³
Genetic		-	None	
Reproductive	Breathing	Rat / Female-	NOAEC; ≥400 ppm	

SAFETY DATA SHEET

MX-40 MULTI PURPOSE CARE SPRAY

Product Name: MX-40 Multi-Purpose Care Spray
 GBF Form No: M-0001

Preparation Date: 22.12.2025
 Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

	toxicity		Male	
	Developmental toxicity	Oral	Rat	NOAEL; 500 mg/kg/day

12. Ecological information;

12.1. Toxicity

	Petroleum gases, liquefied (<0.1% 1,3-butadiene)
Short-term toxicity (fish)	LC50: 49.47 mg/l (96 hours)
Long-term toxicity (fish)	-
Short-term toxicity (invertebrates)	LC50: 69.43 mg/l (48 hours)
Long-term toxicity (invertebrates)	-
Toxicity (Algae, cyanobacteria)	EC50: 12.32 mg/l (96 hours)
Toxicity (Microorganisms)	EL50: 51.6 mg/l (48 hours)

PNEC Values	Lubricating oil	Benzene, mono-C10-13-alkyl derivatives, distn. residues
Fresh water	-	0.001 mg/l 0.001 mg/l (batch release)
Marine	-	0 mg/l
STP	-	2 mg/l
Sediment (Fresh water)	-	1.65 mg/kg sediment dw
Sediment (Marine)	-	0.165 mg/kg sediment dw
Soil	-	0.329 mg/kg soil dw
Predators	9.33 mg/kg food	-

12.2. Persistence and degradability

Persistence : Biodegradable.

12.3. Bioaccumulation potential

Potential for bioaccumulation : There is no known potential for bioaccumulation.

12.4. Mobility in the soil

Mobility : Not applicable.

12.5. Results of PBT and vPvB assessment

PBT/vPvB values : Does not contain PBT or vPvB substances.

12.6. Other negative effects

Other information : Not applicable.

13. Disposal information;

13.1. Waste processing methods

Product residue : Recyclable container. Do not puncture or burn, even after use. Do not dispose of empty packaging with normal household waste.

SAFETY DATA SHEET

MX-40 MULTI PURPOSE CARE SPRAY

Product Name: MX-40 Multi-Purpose Care Spray
GBF Form No: M-0001

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

Containers should be recycled or reused. Product residues, including non-empty packaging, should be treated as chemical waste.

Additional warning : Unknown.

European Waste Catalogue : Dispose of hazardous waste in an official chemical waste storage facility in accordance with Directive 91/689/EEC and under a waste law pursuant to Commission Decision 2000/532/EC.

Local regulations : Waste disposal must comply with applicable regional, national, and local laws and regulations. Local regulations may be stricter than regional and national requirements and must be complied with.

14. Transportation information;

14.1. UN Number : UN 1950

14.2. Appropriate UN shipping name

Suitable shipping name : AEROSOLS

Proper shipping name (IMDG, IATA) : AEROSOLS

14.3. Transportation hazard class(es) : 2 (ADR/RID/ADN/IMDG/IATA)

Classification Code : 5F (ADR/RID/ADN)



Hazard Label : 2.1

14.4. Packaging group : None

14.5. Environmental damage

Marine pollutant : No

14.6. Special measures for the user

Unless otherwise stated, measures applicable to safe transport will be taken.

IATA Cargo Aircraft: 203

I MDG - Technical name: Aerosol

IMDG Page: FD, SU

14.7. Public transport according to MARPOL 73/78 Annex II and IBC code.

Marpol : As per the instructions above, it is not a hazardous product.

15. Knowledge of legislation;

15.1. Specific safety, health and environmental regulations for the substance or mixture.

National Legislation

- Turkish Ministry of Environment and Urbanization, Regulation No. 28848, dated December 11, 2013, on the Classification, Labelling and Packaging of Substances and Mixtures.
- Turkish Ministry of Environment and Urbanization, Waste Management Regulation, dated April 2, 2015, numbered 29314.
- Turkish Ministry of Labour and Social Security, Regulation No. 28733 dated August 12, 2013, on Health and Safety Measures in Work with Chemical Substances.
- Turkish Ministry of Labour and Social Security, Regulation No. 28695 dated July 2, 2013, on the Use of Personal Protective Equipment in Workplaces.

SAFETY DATA SHEET

MX-40 MULTI PURPOSE CARE SPRAY

Product Name: MX-40 Multi-Purpose Care Spray
GBF Form No: M-0001

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

- Turkish Ministry of Labour and Social Security, Occupational Health and Safety Law No. 6331, dated June 30, 2012.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

16. Other information;

Abbreviations

Flammable Liquid 2	: Flammable Liquid, Hazard Category 2.
Reproductive System	System Toxic, Hazard Category 2
Reproductive System	Toxic, Hazard Category 1A
BHOT TEK. MRZ 3	: Specific Target Organ Toxicity-Single Exposure, Category 3
Asp.Tok. 1	: Aspiration Toxicity, Hazard Category 1
BHOT Tek. MRZ.2	: Specific Target Organ Toxicity - Repeated Exposure, Category 2
Skin Irrit. 2	: Skin Irritation, Hazard Category 2
LD50	: The dose of a substance that causes 50% (half) death in the test animal group (Median Lethal Dose)
LC 50	: Concentration of a substance causing 50% (half) mortality in a test animal group.
ADR	: European Agreement concerning the international carriage of dangerous goods by road.
IMDG	: International Maritime Dangerous Goods
IATA	: International Air Transport Association
ADN	: European Agreement concerning the international carriage of dangerous goods by inland waterways
RID	: European Agreement concerning the international carriage of dangerous goods by rail.
Merpol 73/78	: International Convention for the Prevention of Pollution from Ships, 1973, as amended by Protocol 1978. IBC: International Code for the Construction and Equipment of Ships Carrying Dangerous Bulk Chemicals (International Bulk Chemicals Code)
WEL	: Workplace Exposure Limit
TWA	: Workplace Exposure Limits
STEL	: Short-Term Exposure Limit
EC No	: European Community Number
CAS	: Service for Chemical Theories
PBT	: Persistent, Bioaccumulative, and Toxic Substance.
vPvB	: Very Persistent, Highly Bioaccumulative
DNEL	: Derived Effect Unobserved Time
Va	: Body weight

Certificate Number: TÜV/11.302.03

Certificate Expiration Date: 05.11.2030

LEGAL NOTICE (DISCLAIMER)



SAFETY DATA SHEET

MX-40 MULTI PURPOSE CARE SPRAY

Product Name: MX-40 Multi-Purpose Care Spray

Preparation Date: 22.12.2025

GBF Form No: M-0001

Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

The evaluations contained in the Product Safety Data Sheet have been prepared based on the information currently available to us and are published for the purpose of identifying the products in terms of health, safety, and environmental aspects. Maxray Kimya San. ve Tic. Ltd. Şti. makes no representation or warranty, either express or implied, regarding the accuracy or completeness of the data contained herein. This document should not be interpreted as a guarantee of any specific property of the product. The data and recommendations provided are applicable only to cases in which this product is sold for the specified application(s). This product should not be used for any purpose other than the stated application area without consulting Maxray Kimya San. ve Tic. Ltd. Şti.