

SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

1. The substance/mixture and company/distributor

1.1. Identity of the substance/mixture;

Product Form : Mixture
Trade Name : Tyre Repair Kit
EC Number : Unknown
CAS Number : Unknown

1.2. Article or mixture set uses And recommendation not done uses;

Tyre fix er And inflator spray all mount car, motorcycle, bicycle, light commercial vehicle It can also be used in caravans. It acts as a tire repairer and inflator in case of punctures.

1.3. Security Information Form supplier's information;

Manufacturer : MAXRAY Kimya San. Ve Tic. Ltd. Şti.
Address : Mimar Sinan Mah. Üsküdar Cad. YEDPA No:1 Cad. Inner door No:2
ATAŞEHİR/İSTANBUL
Phone : +90 850 307 04 47
Email : info@maxray.com.tr
Contact Person : Nurullah Düzgün
Product Code : MX-77081
Product Type : Automotive Cosmetics

1.4. Urgent Status phone;

Urgent Status phone : 114 (Poison Advice Central/ Only local searches for (It is used.)

2. Harmfulness definition;

2.1. Article And mixture classification;

Classification of the mixture in accordance with Regulation (EC) No 1272/2008

It flares up Aerosol, Harmfulness Category 2 H223
Compressed Cap H229
Eye Damage, Hazard Category 1 H318

H. Full text of the statements; see Section 16.

2.2. Ticket elements;

Classification of the mixture in accordance with Regulation (EC) No 1272/2008



Harmfulness The sign (SEA) :

GHS02

GHS07

Warning word (SEA) : Danger

Hazard Statements (SEA) :

H223 - Flammable aerosol .

H229- Compressed container: If heated

It may crack. H318 - Causes serious eye damage.

Precaution Statements (SEA) :

P201- Without using before special instructions Read it.



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

P202- All precaution expressions read without understanding Do not handle .
P210- from heat/spark/flame/hot from surfaces far Hold on. - Cigarette Not for drinking. P211 - Do not spray towards flames or other sources of ignition.
P251- Compressed container: From use later even Don't pierce or
Do not burn. P264 - Wash hands thoroughly with water after handling .
P280 Protector gloves/protective clothing/eyes protective/face protector Use it.
P305+P351+P338- EYELASH WITH CONTACT IN: This with a few minute carefully Rinse. Contact Remove the lens, if present and easy to remove. Rinse thoroughly.
P310- Immediately NATIONAL POISON ADVICE CENTER 114 NUMBER YOUR PHONE or doctor /physician Search.
P405- Locked in the field Keep it safe.
P410+P412- Sun from the light Protect it. 50°C/122F exceeding temperature exposed Don't give up.
P501: Dispose of contents/container in accordance with local/regional/national/international regulations (as specified). Indicate whether this applies to the contents, container , or both, as instructed by the manufacturer/supplier or competent authority.

2.3. Other damages;

PBT or vPvB It does not contain the ingredients .

3. Composition/Ingredients about Information; 3.1. Articles;

Not applicable.

3.2. Mixtures

The substance Ordinary	CAS Number	EC Number	%	11 December 2013 dated And Published in the Official Gazette No. 28848 (Repeated) "Classification of Substances and Mixtures" Regarding Labeling and Packaging Regulations" (SEA) classification according to	Pictograms
Also ionized This	-	-	20-30	Unclassified.	-
Protector	-	-	<1	Unclassified.	-
Harmless Latex Pastry	-	-	15-25	Unclassified.	
2,2',2''- Nitrilotriethanol Tris (2hydroxyethyl) amine	102-71-6	203-049-8	<1	Unclassified.	
Ammonia 25%	1336-21-6	215-647-6	<0.5	Skin Corr . 1B, H314 Aquatic Acute 1, H400	GHS07 GHS09



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

SODIUM LAURYL ETHER SULPHATE	68891-38-3	500-234-8	1-2	Skin Irritation, Harmfulness 2 H315 Eye Damage 1, H318 Sukul Kronik 3, H412	GHS07 GHS09
Ethane-1,2- diol	107-21-1	203-473-3	<4	Akut tox.4, H302	GHS07



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

Ürün Adı: Lastik Tamir Kiti
GBF Form No: M- 0001

Hazırlanma Date: 04.12.20
Revision Date/No: 00/00

According to Commission Regulation (EU) 2020/878 as amended

Damaging substances And To the mixtures Related Security Information Forms About Regulations (RG 13.12.2014-29204)'e It has been prepared accordingly .

				BHOT Only. MRZ.2, H373	GHS08 Attention
Oil gases, liquefied (<0.1% 1.3%) butadiene)	68476-85-7	270-704-2	45-60	Flame. Gas 1, H220 Dissolved Gas, H280	GHS02 GHS04 GHS08 Dangerous

H expressions full text: See Part 16

4. First aid measures;

4.1. First aid measures explanation;

General Information : Any One discomfort continue if medical help Take it. Contaminated outfit or the shoe immediately Remove it.

Inhalation : Danger from the region, patient take it out, medical support forehead. Consciousness cardiac loss , turn the patient to the side position. Keep the patient warm and rested. If there is difficulty breathing, give oxygen. Heart If the heart stops massage Do it. H2S or CO breathing if rescuers The injured person should wear a breathing apparatus, harness, and safety rope, and follow emergency aid procedures . The injured person should be immediately moved to fresh air. If breathing stops, artificial respiration should be performed. Medical support should be sought.

To the skin contact : Contaminated, of the infected is all clothes And your shoes . Be sure to wash them thoroughly before wearing them again . Wash them well with plenty of soap and water.

With the eye contact : Immediately eyelash covers by lifting plenty This with 15 minute Wash it. If possible ignition lens Remove it. Irritation if medical See k help .

If swallowed : Don't induce vomiting. Immediately to your doctor Please consult us. Lips And mouth It might freeze . Consciousness closed to the patient oral no thing Don't give it. Loosen the clothes.

4.2. Quick And delayed important symptoms And effects

Inhalation : Unknown
To the skin Contact : Skin irritation
With the eye Contact : Unknown
Ingestion In the case of : Unknown
Aspiration : Unknown.

4.3. Medical intervention And special treatment as required for first signs

Symptomatic aspect treatment Get it.



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

5. With the fire struggle measures;

5.1. Fire extinguishers

Suitable : Carbon dioxide, dry chemical, This Sisi, fire extinguisher foam.
Big in fires This spray, This Sisi or foam.

Not suitable : This jet Do not use it. Water with foam together usage This can
cause damage to the foam.

5.2. Article or from the mixture resulting from special damages

Special exposed stay Risks : Unknown

Dangerous thermal : Combustion during carbon monoxide, carbon dioxide,
decomposition smoke,
Products hydrocarbons aldehydes, work It may occur.



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

5.3. Fire extinguishing teams for recommendations

Fire extinguishing people for special : Respiratory with device full face masked protector clothes Use it.

Cool the outside of the containers with water. The product may form vapors that can explode when mixed with air. It can cause a sudden flame. Pouring it down the drain can also cause a fire or explosion.

6. Accident result to spread opposite measures;

6.1. Personal measures, protector equipment And urgent situation procedures

Personal precautions protector : Flame sources Prevent it. Cigarette Don't drink it. From hydrocarbons

glove , glasses And clothes Get dressed. steam from breathing Avoid it. Remove unnecessary people. Prevent entry to the hazardous area and isolate it.

Review the evacuation needs. Stop the flow if there is no risk. With the spills. contact Do not do it. rashes with absorbents Absorb. Extra in case of H₂S or CO formation. Precautions must be taken. Special protective clothing should be worn. Staff should be trained.

6.2. Environmental measures

Environmental measures : Spillage And spread Prevent it. To the sewer, evacuation to the pipe, to the basement And closed to the areas spread Block it. Steam Suppressant products can help reduce vapor production. Report spills to the authorities if they pollute streams or sewers.

Other Information : Unknown.

6.3. Casing do not And cleaning for methods And materials

Cleaning methods : Small rashes cloth or to the pulp Let her suckle. Waste to collection areas Send it in . Ensure adequate ventilation. Avoid sources of flame. And cigarette Don't drink it. Big rashes ditch or Use a collection pool and report it to the authorities.

6.4. Other sections references

Other sections references : Moreover See section 8.

7. Handling And storage;

7.1. Trustworthy handling for measures

Trustworthy handling for measures : Good ventilated in the fields Handle it . Vapors released on the ground

Block out heat. Do not inhale vapors. Avoid contact with skin and mucous membranes. Handle away from flame sources . Prevent static electricity buildup. Do not smoke. Do not use compressed oxygen or air during product transfer and spillage. Store in a cool, gas-free place. ventilated in the fields Use it. Ground system Use it. Do not spray at pressures higher than 3 bar.

7.2. Disputes in including trustworthy storage for conditions

Storage conditions : Static electric formation It must be prevented. Flame And heat from sources



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended
away from direct sunlight. Containers and devices must be grounded.
Keep containers closed when not in use.

MAXRAY



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

7.3. Clear last uses

Usage : Only as stated like Use it.

8. Exposed stay controls/personal

Protection; 8.1. Control parameters

Oil gases, liquefied (<0.1%) 1.3 butadiene)

Seen Effects	Exposure	DNEL	Toxicity Type
Workers for damage limits			
Respiratory-Systemic Effects	LONG duration exposure	2.21 mg/ m ³	Carcinogenicity
Dermal - Systemic Effects	LONG duration exposure	23.4 mg/kg va /day	Carcinogenicity
General Population for damage limits			
Respiratory-Systemic Effects	LONG duration exposure	0.066 mg/ m ³	Carcinogenicity

Ethane-1,2- diol

Seen Effects	Exposure	DNEL	Toxicity Type
Workers for damage limits			
Inhalation-Local Effects	LONG duration exposure	35 mg/ m ³	Skin irritation / corrosion
		67 mg/ m ³ (NOAEC)	
Dermal - Systemic Effects	LONG duration exposure	106 mg/kg va /day	Recurrent dose toxicity
	LONG duration exposure	4440 mg/kg va /day (NOAEL)	
Dermal - Local Effects	LONG duration exposure	Damage It has not been seen.	
	Acute/short temporary exposure	Damage It has not been seen.	
Eyes		Damage It has not been seen.	
General Population for damage limits			
Respiratory-Systemic Effects	LONG duration exposure	Damage It has not been seen.	
	Acute/short temporary exposure	Damage It has not been seen.	
Inhalation-Local Effects	LONG duration exposure	7 mg/ m ³	Skin irritation / corrosion
	LONG duration exposure	67 mg/ m ³ (NOAEC)	
Dermal - Systemic Effects	LONG duration exposure	53 mg/kg va /day	Recurrent Dose Toxicity
	LONG duration exposure	4440 mg/kg va /day (NOAEL)	
	Acute/short temporary exposure	Damaging effect It has not been seen.	
Dermal - Local Effects	LONG duration exposure	Damaging effect It has not been seen.	
Oral-Systemic Effects	LONG duration exposure	Damaging effect It has not been seen.	
Oral-Systemic Effects	Acute/short temporary exposure	Damaging effect It has not been seen.	



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

Eyes		Damaging effect It has not been seen.
------	--	---------------------------------------

8.2. Exposed stay checks

SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

Engineering measures	: Enough general And local ventilation Provide it. Ventilation system organised aspect care And control It should be done. Product Or observe the content's exposure limits.
Hygiene measures	: Chemical substances usage with relating to general hygiene rules This should be done . Wash your hands during breaks and after work. Food articles, drink And from food far Hold on. Remove soiled clothing and protective equipment before entering dining areas.
Personal protector equipment	: Personal protector hardware event, other with elements together, heat And ventilation to the degree It depends. Promise subject special situation Depending on the situation, you should definitely seek professional help.
Body protection	: MOST 365/367 respectively 345 standard suitable protector clothes, work overalls or team And similar shoes Get dressed. Suitable Material: Nitrile . Penetration time: Impermeable.
Respiratory protection	: Good ventilated in the fields special equipment necessary It is not. Bad ventilated in the fields, artificial respiratory device Use it.
Hand protection	: MOST 374 standard suitable glove Put it on. Suitable material: nitrile . ± 0.5 mm. Penetration time: impermeable. Replace the glove with a new one as needed.
Eyelash protection	: Firmly Saran, from chemicals protector glasses or face protector Use it . If breathing danger if full face gas Please wear a mask .

9. Physically And chemical features;

9.1. Basis physically And chemical features

Physical Appearance	: Aerosol
Colour	: White Foam
Scent	: Characteristic Ammonia Its smell
Smell Threshold value	: Unknown
Flare Point (°C) (min)	: <21 °C
Boiling Point (°C) (min)	: Unknown
Explosion Risk	: Unknown
Intensity (g/cm ³)	0.9-1.3
pH	: 10-12
Viscosity (mPa · s	: 1-14
Flame Taking Temperature	: Unknown
Steam Density	: Unknown
Solvability Property	: Unknown

9.2. Other information

Complement No information available.

10. Stability And reaction;

10.1. Reaction

Reactivity : Known One reactivity harmfulness There isn't any.

10.2. Chemical stability



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

Determination : Normal conditions It is resolute under this .

10.3. Damaging reaction possibility of

Reactivity : Oxidized er agents in existence reaction realization It's highly probable .



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

10.4. Avoid required situations

Avoid required conditions : Heat, spark like flame from sources Avoid it. Containers when heated more pressure because it will occur explosive or It can burn intensely. Static electricity buildup should be prevented.

10.5. Avoid required substances

Avoid required materials: Oxidized er items.

10.6. Damaging decomposition products,

Dangerous decomposition products : Suitable under stored And if used It does not decompose . Thermal decaying or compressed products these It may include: Damaging gases and vapors.

11. Toxicological Information;

11.1. Toxic effects information about

Article	Toxicity Type	Toxicity Region	Test Bestial	Conclusion
Ethane-1,2- diol	Acute	Oral	Rat/Female-Male	LD 50: 7712 mg/kg va
		Breathing	Rat/Female-Male	LC 50: 2.5 mg/l (weather)
		Dermal	Mouse	LD 50:3500 mg/kg va
	Irritation	Dermal	Rabbit	None
		Eyelash	Rabbit	None
	Sensibility	Dermal	Guinea pig	None
	Recurrent Dose	Oral	Rat	150 mg/kg va /day
		Dermal	Dog	2200 mg/kg va /day
Genetic			None	
Carcinogenicity			None	
Oil gases, liquefied (<0.1% 1.3%) butadiene)	Acute	Breathing	Rat/Female-Male	LC 50:800000 ppm
				EC 50:280000 ppm
	Recurrent Dose	Breathing/Mist mik	Rat/Female-Male	Damaging No effect was observed. NOAEC; 19678 mg/ m ³
	Genetic			None
	Reproductive		Rat/Female-Male	NOAEC: 16000 ppm
	Teratogenicity	Breathing	Rat	NOAEC: 16000 ppm
Carcinogenicity		Rat/Female-Male	NOAEC: 10000 ppm 17200 mg/ m ³ 'also effect It has been seen .	

12. Ecological Information;

12.1. Toxicity

	Oil gases, liquefied (<0.1%) 1.3 butadiene)
Short temporary toxicity (fish)	LC50: 49.47 mg/l (96 hours)
LONG temporary toxicity (fish)	-



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

Short temporary toxicity (p. invertebrate)	LC50: 69.43 mg/l (48 hours)
--	-----------------------------



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

Product Tyre Fix Kit
Ordinary:
GBF Form No: M- 0001

Preparation Date: 04.12.20
Revision Date/No: 00/00

Damaging substances And To the mixtures Related Security Information Forms About Regulations (RG 13.12.2014-29204)'e It has been prepared accordingly .

Toxicity (Algae, ciano bacteria)	EC50: 12.32 mg/l (96 hour)
Toxicity (Microorganisms)	EL50: 51.6 mg/l (48 hour)

12.2. Permanence And degradability

Durability : Biological aspect It is perishable .

12.3. Bioaccumulation potential

Biological accumulation potential : Known One biological accumulation potential There isn't any.

12.4. In the soil mobility

Mobility : Not applicable.

12.5. PBT And vPvB evaluation results

PBT/ vPvB values : PBT And vPvB articles does not include.

12.6. Other negative effects

Other Information : Not applicable.

13. Disposal do not information;

13.1. Waste processing methods

Product remnants : Back convertible container. From use later even Don't pierce or Don't burn it . Empty packaging normal domestic with waste together Don't throw it away. Containers should be recycled or reused. Product residues and non-empty packaging should be treated as chemical waste.

Additional Warning : Unknown.

Europe waste catalog according to a waste : Dangerous waste 2000/532/EC numbered Commission To his decision

law in the scope of 91/689/EEC numbered To the directive suitable aspect One Dispose of it at an official chemical waste disposal site.

Local legislation : Waste from hand removal current regional, national And local law And regulations suitable should be. Local regulations regional And they may be stricter than national requirements and must be complied with.

SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

14. Transportation information;

14.1. UN Number : UN 1950

14.2. Suitable REPUTATION transportation ordinary

Appropriate shipping name : Suitable
for Aerosols transport ordinary (IMDG,
(IATA) : Aerosols

14.3. Transportation hazard class(es) : 2

(ADR/RID/ADN/IMDG/IATA) Classification Code : 5F (ADR/RID/ADN)

Danger Label : 2.1



14.4. Packaging Group : None

14.5. Environmental damages

Marine pollutant : No

14.6. User for special measures

Another various will be not specified as long as trustworthy One transport for valid the one which...
measures will be taken into consideration .

IATA Cargo Aircraft : 203

IMDG- Technical Name : Aerosol

IMDG page : FD, THIS



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

14.7. MARPOL 73/78 additional II And IBC to the code according to public transport

Marpol :Above stated instructions in accordance with, dangerous product It is not.

15. Legislation knowledge;

15.1. Article or mixture for special security, health And environment legislation National Legislation

- TC Environment And Urban planning Ministry, 11 December 2013 dated, 28848 Numbered, Substances And Regulation on the Classification, Labelling and Packaging of Mixtures.
- TC Environment And Urban planning Ministry, 2 April 2015 dated, 29314 numbered, Waste Management Regulations.
- TC Study And Social Security Ministry, 12 August 2013 dated, 28733 numbered, Regulation on Health and Safety Measures in Working with Chemical Substances
- TC Study And Social Security Ministry, 2 July 2013 dated, 28695 numbered, Personal Regulation on the Use of Protective Equipment in Workplaces.
- TC Study And Social Security Ministry, 30 June 2012 dated, 6331 numbered, Work health and Security Law

15.2. Chemical security evaluation

One chemical security evaluation It has not been done.

16. Other Information;

This security in the form of information, product characteristics guarantee aspect not, to the mixture related This is seen as a statement of security requirements.

H223- It flares up aerosol .

H229- Compressed container: If heated It may crack. H318 - Causes serious eye damage.

H400- Aquatic in the environment A lot It is toxic .

H314- Serious skin burns And eyelash damage path It opens. H315 - Causes skin irritation.

H412- Aquatic in the environment LONG duration permanent, damaging effect.

H373- LONG temporary or repetitive exposed stay result in the organs damage path H302 - Harmful if swallowed.

H220- A lot easy flares up gas.

H280- Compressed gas includes; when heated It could explode.

Abbreviations

Flame. Liquid 2 : Flammable Liquid, Harmfulness Category 2.
Acute Tok.1 : Acute Toxicity , Harmfulness Category 1
Acute Tok.4 : Acute Toxicity , Harmfulness Category 4



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

Product Tyre Fix Kit
Ordinary:
GBF Form No: M- 0001

Preparation Date: 04.12.20
Revision Date/No: 00/00

Damaging substances And To the mixtures Related Security Information Forms About Regulations (RG 13.12.2014-29204)'e It has been prepared accordingly .

Asp . Tok.1 : Aspiration Toxicity , Harmfulness Category
1. Eye Irrit. 2 : Eye Irritation, Hazard Category 2
Eyelash Has.1 :Eye Naughty, Harmfulness Category 1
Urm . Fog. Tok.1A : Reproduction To your system Toxic , Harmfulness Category 1A
LD 50 : Test animals in the group 50% half) cause of death the one which... article dose (Median Lethal Dose)
LC 50 : Test animals in the group 50% half) to death From where the one which...
article concentration ADR : Dangerous goods highway with international transportation related Europe agreement
IMDG : International marine dangerous goods
IATA : International weather transportation unity
ADN : Dangerous goods continent intra- This roads with international transportation related European agreement
RID : European Agreement concerning the international carriage of dangerous goods by rail.
Merpel 73/78 :1978 dated protocol with strange 1973 dated from ships pollution prevention International Convention for the Construction of IBCs: Hazardous Bulk Chemicals Carriers. And equipment for international code (International pouring chemical code)
WEL : Workplace Exposure Limit
TWA : Workplace Exposed Stay Limits
STEL : Short Temporary Exposed Stay The border
EC No : Europe Community Number
CAS : Chemical Theories Service
PBT : Permanent, Bioaccumulative And Toxic Article
vPvB : Very Permanent, A lot Bioaccumulative
DNEL : Derived Effect Unobserved Period
Va : Body weight
Certificate Number: TÜV/11.302.03
Certificate Expiration Date: 05.11.2030

LEGAL NOTICE (DISCLAIMER)

The evaluations contained in the Product Safety Data Sheet have been prepared based on the information currently available to us and are published for the purpose of identifying the products in terms of health, safety, and environmental aspects. Maxray Kimya San. ve Tic. Ltd. Şti. makes no representation or warranty, either express or implied, regarding the accuracy or completeness of the data contained herein. This document should not be interpreted as a guarantee of any specific property of the product. The data and recommendations provided are applicable only to cases in which this product is sold for the specified



SAFETY DATA SHEET

TYRE REPAIR KIT

Product Name: TYRE REPAIR KIT
GBF Form No: M-00120

Preparation Date: 22.12.2025
Revision Date/Number: 00/00

According to Commission Regulation (EU) 2020/878 as amended

application(s). This product should not be used for any purpose other than the stated application area without consulting Maxray Kimya San. ve Tic. Ltd. Őti.

MAXRAY